



# Microtips

---

## TECHNOLOGY

Model No: 13-070XIEBCBH6-S

| Approved By |  |
|-------------|--|
|             |  |

Tel: 1 (888) 499-8477

Fax: (407) 273-0771

E-mail: [mtusainfo@microtipsusa.com](mailto:mtusainfo@microtipsusa.com)

Web: [www.microtipsusa.com](http://www.microtipsusa.com)

## RECORD OF REVISION

| Version | Revised Date | Page | Content      |
|---------|--------------|------|--------------|
| V1.0    | 2018/06/17   | --   | First Issued |
|         |              |      |              |
|         |              |      |              |
|         |              |      |              |
|         |              |      |              |

## TABLE OF CONTENTS

| No. | Content                                              | Page |
|-----|------------------------------------------------------|------|
|     | TFT Module Specification .....                       | 1    |
|     | TABLE OF CONTENTS .....                              | 3    |
| 1.  | GENERAL DESCRIPTION .....                            | 4    |
| 2.  | MECHANICAL SPECIFICATION .....                       | 5    |
| 3.  | PIN DESCRIPTION .....                                | 6    |
| 4.  | ABSOLUTE MAXIMUM RATINGS .....                       | 8    |
| 5.  | BLOCK DIAGRAM .....                                  | 9    |
| 6.  | RELATIONSHIP BETWEEN DISPLAYED COLOR AND INPUT ..... | 10   |
| 7.  | ELECTRICAL CHARACTERISTICS .....                     | 13   |
| 8.  | PROJECTED CAPACITIVE TOUCH PANEL .....               | 17   |
| 9.  | OPTICAL CHARACTERISTICS .....                        | 19   |
| 10. | RELIABILITY.....                                     | 22   |
| 11. | PRECAUTION RELATING PRODUCT HANDLING .....           | 27   |

## 1. GENERAL DESCRIPTION


### 1.1 Description

The specification is model 13-070XIEBCBH6-S is a color active matrix thin film transistor (TFT) liquid crystal display (LCD) that uses amorphous silicon TFT as a switching device. This model is composed of a TFT LCD panel, a driving circuit, a backlight system and projected capacitive touch panel. This TFT LCD has a 7.0 (16:9) inch diagonally measured active display area with WSGA (1024 horizontal by 600 vertical pixels) resolution.

### 1.2 Features:

| No. | Item                           | Specification                       | Unit   |
|-----|--------------------------------|-------------------------------------|--------|
| 1   | Panel Size                     | 7.0"                                | Inch   |
| 2   | Number of Pixels               | 1024 (W) x RGB x 600 (H)            | Pixels |
| 3   | Active Area                    | 154.21 (W) x 85.92 (H)              | mm     |
| 4   | Pixel Pitch                    | 0.1506 (W) x 0.1432 (H)             | mm     |
| 5   | Outline Dimension              | 182.6 (W) x 117 (H) x 7.6 (T)       | mm     |
| 6   | Number of Colors               | 16.7M / 262K                        | - -    |
| 7   | Display Mode                   | IPS / Normally Black / Transmissive | - -    |
| 8   | Viewing Direction              | Free direction                      | - -    |
| 9   | Display Format                 | RGB vertical stripe                 | - -    |
| 10  | Surface Treatment              | Clear (7H)                          | - -    |
| 11  | Contrast Ratio                 | 600 (Typ.)                          | - -    |
| 12  | Luminance (cd/m <sup>2</sup> ) | 1300 (Typ.)                         | cd/m2  |
| 13  | Interface                      | LVDS 8 / 6 bit Interface            | - -    |
| 14  | Backlight                      | White LED                           | - -    |
| 15  | Operation Temperature          | -20 ~ 70                            | °C     |
| 16  | Storage Temperature            | -30 ~ 80                            | °C     |
| 17  | Weight                         | TBD                                 | g      |

## 2. MECHANICAL SPECIFICATION



### 3. PIN DESCRIPTION

#### 3.1 TFT Unit (Connector Part No: MSAKT2407P30\_HA or equivalent)

| Pin No. | Symbol | I/O | Function                               | Note  |
|---------|--------|-----|----------------------------------------|-------|
| 1       | VCC    | P   | Power Supply Logic voltage +3.3V       |       |
| 2       | VCC    | P   | Power Supply Logic voltage +3.3V       |       |
| 3       | GND    | P   | Ground                                 |       |
| 4       | GND    | P   | Ground                                 |       |
| 5       | RIN0-  | I   | Negative LVDS differential data input  |       |
| 6       | RIN0+  | I   | Positive LVDS differential data input  |       |
| 7       | GND    | P   | Ground                                 |       |
| 8       | RIN1-  | I   | Negative LVDS differential data input  |       |
| 9       | RIN1+  | I   | Positive LVDS differential data input  |       |
| 10      | GND    | P   | Ground                                 |       |
| 11      | RIN2-  | I   | Negative LVDS differential data input  |       |
| 12      | RIN2+  | I   | Positive LVDS differential data input  |       |
| 13      | GND    | P   | Ground                                 |       |
| 14      | RCLK-  | I   | Negative LVDS differential clock input |       |
| 15      | RCLK+  | I   | Positive LVDS differential clock input |       |
| 16      | GND    | P   | Ground                                 |       |
| 17      | RIN3-  | I   | Negative LVDS differential data input  |       |
| 18      | RIN3+  | I   | Positive LVDS differential data input  |       |
| 19      | GND    | P   | Ground                                 |       |
| 20      | GND    | P   | Ground                                 |       |
| 21      | SEL68  | I   | 6bit/8bit mode select                  | Note1 |
| 22      | NC     | -   | No connection                          |       |
| 23      | NC     | -   | No connection                          |       |
| 24      | NC     | -   | No connection                          |       |
| 25      | NC     | -   | No connection                          |       |
| 26      | NC     | -   | No connection                          |       |
| 27      | GND    | P   | Ground                                 |       |
| 28      | GND    | P   | Ground                                 |       |
| 29      | GND    | P   | Ground                                 |       |
| 30      | GND    | P   | Ground                                 |       |

Notes 1:

If LVDS input data is 6 bits, SELB must be set to High;

If LVDS input data is 8 bits, SELB must be set to Low.

### 3.2 Backlight Unit

| Pin | Symbol | Function              | Note |
|-----|--------|-----------------------|------|
| 1   | LEDA   | LED backlight Anode   |      |
| 2   | LEDK   | LED backlight Cathode |      |

#### 4. ABSOLUTE MAXIMUM RATINGS

##### 4.1 Electrical Absolute Rating

##### 4.1.1 TFT LCD Module


| Item                 | Symbol | Values |      | Unit | Note |
|----------------------|--------|--------|------|------|------|
|                      |        | Min    | Max. |      |      |
| Power supply voltage | VCC    | -0.3   | 4.0  | V    |      |

##### 4.1.2 Environment Absolute Rating

| Item                  | Symbol | Values |     |      | Unit | Note                |
|-----------------------|--------|--------|-----|------|------|---------------------|
|                       |        | Min    | Typ | Max. |      |                     |
| Operating Temperature | Topa   | -20    |     | 70   | °C   | Ambient temperature |
| Storage Temperature   | Tstg   | -30    |     | 80   | °C   |                     |

## 5. BLOCK DIAGRAM

### 5.1 TFT LCD Module



## 6. Relationship Between Displayed Color and Input


### 6.1 6 bit

|             | Color & Gray Scale                                                                            | Data Signal |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|-------------|-----------------------------------------------------------------------------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
|             |                                                                                               | R5          | R4 | R3 | R2 | R1 | R0 | G5 | G4 | G3 | G2 | G1 | G0 | B5 | B4 | B3 | B2 | B1 | B0 |
| Basic Color |  Black       | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  Red         | 1           | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  Green       | 0           | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  Blue        | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  |
|             |  Cyan        | 0           | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  |
|             |  Magenta     | 1           | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  |
|             |  Yellow      | 1           | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  White       | 1           | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  |
| Red         |  Black       | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  Red(1)      | 0           | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  Red(2)      | 0           | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  :           | :           | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  |
|             |  Red(31)     | 0           | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  :           | :           | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  |
|             |  Red(62)     | 1           | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  Red(63)   | 1           | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Green       |  Black     | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  Green(1)  | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  Green(2)  | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  :         | :           | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  |
|             |  Green(31) | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  :         | :           | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  |
|             |  Green(62) | 0           | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  Green(63) | 0           | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  |
| Blue        |  Black     | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
|             |  Blue(1)   | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  |
|             |  Blue(2)   | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  |
|             |  :         | :           | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  |
|             |  Blue(31)  | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  |
|             |  :         | :           | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  |
|             |  Blue(62)  | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 0  |
|             |  Blue(63)  | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  |


## 6.2 8 bit

|                |                                                                                     | Color<br>& Gray<br>Scale | Data Signal |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |   |  |  |  |
|----------------|-------------------------------------------------------------------------------------|--------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|---|--|--|--|
|                |                                                                                     |                          | R7          | R6 | R5 | R4 | R3 | R2 | R1 | R0 | G7 | G6 | G5 | G4 | G3 | G2 | G1 | G0 | B7 | B6 | B5 | B4 | B3 | B2 | B1 | B0 |   |  |  |  |
| Basic<br>Color |    | Black                    | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |    | Red                      | 1           | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |    | Green                    | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |    | Blue                     | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1 |  |  |  |
|                |    | Cyan                     | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1 |  |  |  |
|                |    | Magenta                  | 1           | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1 |  |  |  |
|                |    | Yellow                   | 1           | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |    | White                    | 1           | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1 |  |  |  |
| Red            |    | Black                    | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |    | Red(1)                   | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |    | Red(2)                   | 0           | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |    | :                        | :           | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | : |  |  |  |
|                |    | Red(127)                 | 0           | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |    | :                        | :           | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | : |  |  |  |
|                |    | Red(254)                 | 1           | 1  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |   | Red(255)                 | 1           | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
| Green          |  | Black                    | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |  | Green(1)                 | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |  | Green(2)                 | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |  | :                        | :           | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | : |  |  |  |
|                |  | Green(127)               | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |  | :                        | :           | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | : |  |  |  |
|                |  | Green(254)               | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |  | Green(255)               | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
| Blue           |  | Black                    | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0 |  |  |  |
|                |  | Blue(1)                  | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0 |  |  |  |
|                |  | Blue(2)                  | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  |   |  |  |  |
|                |  | :                        | :           | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | : |  |  |  |
|                |  | Blue(127)                | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1 |  |  |  |
|                |  | :                        | :           | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | :  | : |  |  |  |
|                |  | Blue(254)                | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 0 |  |  |  |
|                |  | Blue(255)                | 0           | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1 |  |  |  |

### 6.3 Data Mapping



6bit LVDS input



8bit LVDS input

## 7. ELECTRICAL CHARACTERISTICS

### 7.1 TFT LCD Module


| Item                                 | Symbol          | Values |      |      | Unit   | Remark         |
|--------------------------------------|-----------------|--------|------|------|--------|----------------|
|                                      |                 | Min.   | Typ. | Max. |        |                |
| Supply Voltage                       | VCC             | 3.0    | 3.3  | 3.6  | V      |                |
|                                      | VRF             | -      | -    | 100  | mV p-p | Ripple voltage |
| Differential Input High Threshold    | VTH             | -      | -    | +100 | mV     | Vcm=+1.2V      |
| Differential Input Low Threshold     | VTL             | -100   | -    | -    | mV     | Vcm=+1.2V      |
| Magnitude differential Input Voltage | VID             | 100    | -    | 600  | mV     |                |
| Common Mode Voltage                  | Vcm             | 0.7    | 1.2  | 1.6  | V      |                |
| Common Mode Voltage Offset           | $\Delta V_{cm}$ | -      | -    | 50   | mV     | Vcm=+1.2V      |
| Supply Current                       | ICC             | -      | 150  | 220  | mA     | VCC=3.3V       |

Note (1): The “LED life time” is defined as the module brightness decrease to 50% original brightness that the ambient temperature is 25°C 60% RH.

Note (2): VCC-dip condition


a.  $2.7\text{ V} \leq VCC < 3.0\text{V}$ ,  $t_d \leq 10\text{ ms}$

b.  $VCC > 3.0\text{V}$ , VCC-dip condition should be the same with VCC-turn-on condition °




Note (3): The built-in LVDS receiver is compatible with (ANSI/TIA/TIA-644 ) standard.

### Single-end Signals



## 7.2 Backlight Unit



| Item                 | Symbol | Value   |        |      | Unit | Condition |
|----------------------|--------|---------|--------|------|------|-----------|
|                      |        | Min.    | Typ.   | Max. |      |           |
| LED Voltage          | VL     | -       | (12.8) | -    | V    |           |
| LED Current          | IF     | -       | 420    | -    | mA   | 4S7P      |
| Power Consumption    | PBL    | -       | 5.376  | -    | W    |           |
| LED Life Time (25°C) | -      | (70000) | -      | -    | hr   | (1)       |




## 7.3 INTERFACE SPECIFICATIONS

### 7.3.1 DE mode Input signal characteristics

| Signal     | Parameter               | Symbol   | Min. | Typ. | Max. | Unit. | Note |
|------------|-------------------------|----------|------|------|------|-------|------|
| DCLK       | DCLK Frequency          | fclk     | 40.8 | 51.2 | 67.2 | MHz   |      |
| Horizontal | Horizontal display area | thd      | -    | 1024 | -    | DCLK  |      |
|            | HSD period time         | th       | 1114 | 1344 | 1400 | DCLK  |      |
|            | HSD Blanking            | thb+thfb | 90   | 320  | 376  | DCLK  |      |
| Vertical   | Vertical display area   | tvd      | -    | 600  | -    | th    |      |
|            | VSD period time         | tv       | 610  | 635  | 800  | th    |      |
|            | VSD pulse width         | tvb+tvfp | 10   | 35   | 200  | th    |      |



#### 7.4 Power On / Off Sequence



## 8. PROJECTED CAPACITIVE TOUCH PANEL

### 8.1 Main Feature

| Item                        | Specification                         | Unit     |
|-----------------------------|---------------------------------------|----------|
| Screen Size                 | 7.0 inch                              | Diagonal |
| Type                        | Transparent Type Projected Capacitive | --       |
| Input Mode                  | Human's Finger                        | --       |
| Finger                      | 5                                     | --       |
| Interface                   | I2C or USB                            | --       |
| Cover glass pencil-hardness | 7H                                    | --       |
| Response time               | 25                                    | ms       |
| Driver IC                   | ILI2511                               |          |

### 8.2 Pin Assignments and Definitions

| Item | Name    | I/O | Unit                                                                            |
|------|---------|-----|---------------------------------------------------------------------------------|
| 1    | GND     | P   | Ground                                                                          |
| 2    | VDD     | P   | Power supply for I2C                                                            |
| 3    | SCL     | I   | I2C clock                                                                       |
| 4    | SDA     | I/O | I2C data                                                                        |
| 5    | INT     | O   | Interrupt signal to inform the host processor that touch data is ready for read |
| 6    | RESET   | I   | External low signal reset the chip.                                             |
| 7    | VDD_USB | P   | Power supply for USB I/F                                                        |
| 8    | D+      | I/O | USB interface                                                                   |
| 9    | D-      | I/O | USB interface                                                                   |
| 10   | GND     | P   | Ground                                                                          |

#### (CN3)

| Item | Name  | I/O | Unit                                                                            |
|------|-------|-----|---------------------------------------------------------------------------------|
| 1    | GND   | P   | Ground                                                                          |
| 2    | VDD   | P   | Power supply for I2C                                                            |
| 3    | SCL   | I   | I2C clock                                                                       |
| 4    | SDA   | I/O | I2C data                                                                        |
| 5    | INT   | O   | Interrupt signal to inform the host processor that touch data is ready for read |
| 6    | RESET | I   | External low signal reset the chip.                                             |

(CN4)


| Item | Name    | I/O | Unit                     |
|------|---------|-----|--------------------------|
| 1    | GND     | P   | Ground                   |
| 2    | VDD_USB | P   | Power supply for USB I/F |
| 3    | GND     | P   | Ground                   |
| 4    | D+      | I/O | USB interface            |
| 5    | D-      | I/O | USB interface            |

## 9. OPTICAL CHARACTERISTICS

| Item               | Symbol     | Condition                                                                  | Min.  | Typ.  | Max.  | Unit              |
|--------------------|------------|----------------------------------------------------------------------------|-------|-------|-------|-------------------|
| Brightness         | --         | Note1,<br>Note 3,<br>( $\theta = 0^\circ$ ;<br>Normal<br>Viewing<br>Angle) | 1000  | 1300  | --    | cd/m <sup>2</sup> |
| Uniformity         | B-uni      |                                                                            | 70    | 75    | -     | %                 |
| Contrast Ratio     | CR         |                                                                            | 500   | 600   | --    | --                |
| Response Time      | Tr         |                                                                            | --    | 4     | 8     | ms                |
|                    | Tf         |                                                                            | --    | 12    | 24    | ms                |
| Color Chromaticity | White      | Wx                                                                         | 0.260 | 0.310 | 0.360 | --                |
|                    |            | Wy                                                                         | 0.280 | 0.330 | 0.380 | --                |
| View angle         | Horizontal | $\theta x+$                                                                | 80    | 85    | --    |                   |
|                    |            | $\theta x-$                                                                | 80    | 85    | --    |                   |
|                    | Vertical   | $\theta Y+$                                                                | 80    | 85    | --    |                   |
|                    |            | $\theta Y-$                                                                | 80    | 85    | --    |                   |

Note : The following optical specifications shall be measured in a darkroom or equivalent state (ambient luminance  $\leq 1$  lux, and at room temperature). The operation temperature is  $25^\circ\text{C} \pm 2^\circ\text{C}$ . The measurement method is shown in Note1.

Note1: The method of optical measurement:




Note2: Measured at the center area of the panel and at the viewing angle of the  $\theta x = \theta y = 0^\circ$


Note3: Definition of Contrast Ratio (CR):

CR = Luminance with all pixels in white state  $\div$  Luminance with all pixels in Black state

**Note 4: Definition of Viewing Angle:**




**Note 5: Definition of Brightness Uniformity (B-uni):**



$$B\text{-uni} = (\text{Minimum luminance of 9 points} \div \text{Maximum luminance of 9 points}) \times 100\%$$

**Note 6: Definition of Response Time:**

The Response Time is set initially by defining the “Rising Time ( $T_r$ )” and the “Falling Time ( $T_f$ )” respectively.  $T_r$  and  $T_f$  are defined as following figure



**Note 7: Definition of Chromaticity:**

The color coordinates ( $W_x, W_y$ ), ( $R_x, R_y$ ), ( $G_x, G_y$ ), and ( $B_x, B_y$ ) are obtained with all pixels in the viewing field at white, red, green, and blue states, respectively.

## 10. RELIABILITY

### 10.1 Test Condition

#### 10.1.1 Temperature and Humidity(Ambient Temperature)

Temperature :  $25 \pm 5^{\circ}\text{C}$

Humidity :  $65 \pm 5\%$

#### 10.1.2 Operation

Unless specified otherwise, test will be conducted under function state.

#### 10.1.3 Container

Unless specified otherwise, vibration test will be conducted to the product itself without putting it in a container.

#### 10.1.4 Test Frequency

In case of related to deterioration such as shock test. It will be conducted only once.

### 10.2 TESTS

| No. | ITEM                                    | CONDITION CRITERION                                                                                          |
|-----|-----------------------------------------|--------------------------------------------------------------------------------------------------------------|
| 1   | High Temperature Storage                | 80°C, 120 hrs                                                                                                |
| 2   | Low Temperature Storage                 | -30°C, 120 hrs                                                                                               |
| 3   | High Temperature Operating              | 70°C, 120 hrs                                                                                                |
| 4   | Low Temperature Operating               | -20°C, 120 hrs                                                                                               |
| 5   | High Temperature/Humidity Non-Operating | 50°C, 90%RH, 120 hrs                                                                                         |
| 6   | Temperature Shock Non-Operating         | -30°C $\longleftrightarrow$ 70°C<br>(0.5hr each), 25 cycles                                                  |
| 7   | Vibration Test Non-Operating            | Frequency:0 ~ 55 Hz Amplitude:1.5 mm<br>Sweep Time:11min<br>Test Period:6 Cycles for each Direction of X,Y,Z |
| 9   | Electro-static Discharge Non-Operating  | 150pF,330Ω<br>Air:± 8KV;Contact: ±4KV<br>10 times/point;4 points/panel face                                  |

Note1: The test sample have recovery time for 24 hours at room temperature before the function check. In the standard conditions, there is no any touch panel function NG issue occurred.

6/17/2018

Page 22 of 27

### **10.3 JUDGMENT STANDARD**

The judgment of the above test should be made as follow:

Pass: Normal display image with no obvious non-uniformity and no line defect. Partial transformation of the module parts should be ignored.

Fail: No display image, obvious non-uniformity, or line defects.

## 10.4 INCOMING INSPECTION STANDARDS

| No.                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Parameter                           | Criteria                                                                                                                                                                                                                                                                                                                     |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|--------------------|------------------|------------------|---------------------|------------|--------------|---------------|---|
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Operating                           | Display function: No Display malfunction (Major)                                                                                                                                                                                                                                                                             |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | Contrast ratio (Black, White):<br>Does not meet specified range in the spec. (Major) (Note:3)                                                                                                                                                                                                                                |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | Line Defect: No obvious Vertical and Horizontal line defect in bright, dark and colored. (Major) (Note:1)                                                                                                                                                                                                                    |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | Point Defect : Active area $\leq 5$ dots (Minor) (Note:1)                                                                                                                                                                                                                                                                    |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | <table><tr><th rowspan="2">Item</th><th>Acceptable number</th><th rowspan="2">Total</th></tr><tr><th>Active Area</th></tr><tr><td>Bright</td><td>2</td><td rowspan="2">5</td></tr><tr><td>Dark</td><td>4</td></tr></table>                                                                                                   | Item                      | Acceptable number         | Total                     | Active Area               | Bright             | 2                | 5                | Dark                | 4          |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | Item                                                                                                                                                                                                                                                                                                                         |                           | Acceptable number         |                           | Total                     |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     |                                                                                                                                                                                                                                                                                                                              | Active Area               |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | Bright                                                                                                                                                                                                                                                                                                                       | 2                         | 5                         |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | Dark                                                                                                                                                                                                                                                                                                                         | 4                         |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | Non-uniformity: Visible through 5%ND filter. (Minor)                                                                                                                                                                                                                                                                         |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| Foreign material in Black or White spots shape ( $W>1/4L$ )                                                                                                                                                                                                                                                                                                                                                                                            |                                     |                                                                                                                                                                                                                                                                                                                              |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| <table><tr><th>Zone<br/>Dimension</th><th>Acceptable number</th><th rowspan="4">Class Of Defects<br/>Minor</th><th rowspan="4">AQL Level<br/>1.5</th></tr><tr><td><math>D&gt;0.5</math></td><td>0</td></tr><tr><td><math>0.3 &lt; D \leq 0.5</math></td><td>5</td></tr><tr><td><math>D \leq 0.3</math></td><td>*</td></tr></table>                                                                                                                     | Zone<br>Dimension                   | Acceptable number                                                                                                                                                                                                                                                                                                            | Class Of Defects<br>Minor | AQL Level<br>1.5          | $D>0.5$                   | 0                         | $0.3 < D \leq 0.5$ | 5                | $D \leq 0.3$     | *                   |            |              |               |   |
| Zone<br>Dimension                                                                                                                                                                                                                                                                                                                                                                                                                                      | Acceptable number                   | Class Of Defects<br>Minor                                                                                                                                                                                                                                                                                                    |                           |                           | AQL Level<br>1.5          |                           |                    |                  |                  |                     |            |              |               |   |
| $D>0.5$                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0                                   |                                                                                                                                                                                                                                                                                                                              |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| $0.3 < D \leq 0.5$                                                                                                                                                                                                                                                                                                                                                                                                                                     | 5                                   |                                                                                                                                                                                                                                                                                                                              |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| $D \leq 0.3$                                                                                                                                                                                                                                                                                                                                                                                                                                           | *                                   |                                                                                                                                                                                                                                                                                                                              |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| $D = (\text{Long} + \text{Short}) / 2$ * : Disregard                                                                                                                                                                                                                                                                                                                                                                                                   |                                     |                                                                                                                                                                                                                                                                                                                              |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| Foreign Material in Line or spiral shape ( $W \leq 1/4L$ ) (Note: 4)                                                                                                                                                                                                                                                                                                                                                                                   |                                     |                                                                                                                                                                                                                                                                                                                              |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| <table><tr><th>L (mm)</th><th>Zone<br/>W(mm)</th><th>Acceptable number</th><th rowspan="4">Class Of Defects<br/>Minor</th><th rowspan="4">AQL Level<br/>1.5</th></tr><tr><td><math>L &gt; 5</math></td><td><math>W &gt; 0.1</math></td><td>0</td></tr><tr><td><math>0.5 &lt; L \leq 5</math></td><td><math>0.03 &lt; W \leq 0.1</math></td><td>5</td></tr><tr><td><math>L \leq 0.5</math></td><td><math>W \leq 0.03</math></td><td>*</td></tr></table> | L (mm)                              | Zone<br>W(mm)                                                                                                                                                                                                                                                                                                                | Acceptable number         | Class Of Defects<br>Minor | AQL Level<br>1.5          | $L > 5$                   | $W > 0.1$          | 0                | $0.5 < L \leq 5$ | $0.03 < W \leq 0.1$ | 5          | $L \leq 0.5$ | $W \leq 0.03$ | * |
| L (mm)                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Zone<br>W(mm)                       | Acceptable number                                                                                                                                                                                                                                                                                                            | Class Of Defects<br>Minor |                           |                           | AQL Level<br>1.5          |                    |                  |                  |                     |            |              |               |   |
| $L > 5$                                                                                                                                                                                                                                                                                                                                                                                                                                                | $W > 0.1$                           | 0                                                                                                                                                                                                                                                                                                                            |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| $0.5 < L \leq 5$                                                                                                                                                                                                                                                                                                                                                                                                                                       | $0.03 < W \leq 0.1$                 | 5                                                                                                                                                                                                                                                                                                                            |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| $L \leq 0.5$                                                                                                                                                                                                                                                                                                                                                                                                                                           | $W \leq 0.03$                       | *                                                                                                                                                                                                                                                                                                                            |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| $L$ : Length $W$ : Width    * : Disregard                                                                                                                                                                                                                                                                                                                                                                                                              |                                     |                                                                                                                                                                                                                                                                                                                              |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                      | External Inspection (non-operating) | Dimension: Outline (Major)                                                                                                                                                                                                                                                                                                   |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | Bezel appearance: uneven (Minor)                                                                                                                                                                                                                                                                                             |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | Scratch on the polarize: (Note:2)                                                                                                                                                                                                                                                                                            |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | <table><tr><th>L (mm)</th><th>Zone<br/>W(mm)</th><th>Acceptable number</th><th rowspan="3">Class Of Defects<br/>Minor</th><th rowspan="3">AQL Level<br/>1.5</th></tr><tr><td>--</td><td><math>W &gt; 0.1</math></td><td>0</td></tr><tr><td><math>L \leq 3</math></td><td><math>W \leq 0.1</math></td><td>3</td></tr></table> | L (mm)                    | Zone<br>W(mm)             | Acceptable number         | Class Of Defects<br>Minor | AQL Level<br>1.5   | --               | $W > 0.1$        | 0                   | $L \leq 3$ | $W \leq 0.1$ | 3             |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | L (mm)                                                                                                                                                                                                                                                                                                                       | Zone<br>W(mm)             | Acceptable number         | Class Of Defects<br>Minor |                           |                    | AQL Level<br>1.5 |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | --                                                                                                                                                                                                                                                                                                                           | $W > 0.1$                 | 0                         |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | $L \leq 3$                                                                                                                                                                                                                                                                                                                   | $W \leq 0.1$              | 3                         |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | $L$ : Length $W$ : Width    * : Disregard                                                                                                                                                                                                                                                                                    |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | Dent or bubble on the polarize (Note:2)                                                                                                                                                                                                                                                                                      |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                     | <table><tr><th>Zone<br/>Dimension</th><th>Acceptable number</th><th rowspan="3">Class Of Defects<br/>Minor</th><th rowspan="3">AQL Level<br/>1.5</th></tr><tr><td><math>D \leq 0.3</math></td><td>*</td></tr><tr><td><math>D \leq 0.5</math></td><td>3</td></tr></table>                                                     | Zone<br>Dimension         | Acceptable number         | Class Of Defects<br>Minor | AQL Level<br>1.5          | $D \leq 0.3$       | *                | $D \leq 0.5$     | 3                   |            |              |               |   |
| Zone<br>Dimension                                                                                                                                                                                                                                                                                                                                                                                                                                      | Acceptable number                   | Class Of Defects<br>Minor                                                                                                                                                                                                                                                                                                    | AQL Level<br>1.5          |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| $D \leq 0.3$                                                                                                                                                                                                                                                                                                                                                                                                                                           | *                                   |                                                                                                                                                                                                                                                                                                                              |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| $D \leq 0.5$                                                                                                                                                                                                                                                                                                                                                                                                                                           | 3                                   |                                                                                                                                                                                                                                                                                                                              |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |
| $D = (\text{Long} + \text{Short}) / 2$ * : Disregard                                                                                                                                                                                                                                                                                                                                                                                                   |                                     |                                                                                                                                                                                                                                                                                                                              |                           |                           |                           |                           |                    |                  |                  |                     |            |              |               |   |

| Class of defects | Major | AQL 0.65% | Definition                                                                                                                         |
|------------------|-------|-----------|------------------------------------------------------------------------------------------------------------------------------------|
|                  | Minor | AQL 1.5%  | Definition                                                                                                                         |
|                  |       |           | It is a defect that is likely to result in failure or to reduce materially the usability of the product for the intended function. |
|                  |       |           | It is a defect that will not result in functioning problem with deviation classified.                                              |


**Note1:**

- (a) Bright point defect is defined as point defect of R,G,B with area  $>1/2$  pixel respectively
- (b) Dark point defect is defined as visible in full white pattern.
- (c) Definition of distribution of point defect is as follows:
- minimum separation between dark point defects should be larger than 5mm.
  - minimum separation between bright point defects should be larger than 5mm.
- (d) Definition of joined bright point defect and joined dark point defect are as follows:
- Two or more joined bright point defects must be nil.
  - Three joined dark point defects must be nil.
  - Coupling of one dark and one bright point in junction is counted as one dark and bright spot with 1 pair maximum.
  - Two Joined dark point is counted as two dark points with 2 pair maximum.

**Note2:** The external inspection should be conducted at the distance  $30 \pm 5$  cm between the eyes of inspector and the panel.

**Note3:** Luminance measurement for contrast ratio is at the distance  $50 \pm 5$  cm between the detective head and the panel with ambient luminance less than 1 lux. Contrast ratio is obtained at optimum view angle.

**Note4:** W-Width in mm , L-length of Max.(L1,L2) in mm.



### 10.5 Sampling Condition

Unless otherwise agree in written, the sampling inspection shall be applied to the incoming inspection of customer.

Lot size: Quantity of shipment lot per model.

Sampling type: normal inspection, single sampling

Sampling table: MIL-STD-105E


Inspection level: Level II

### 10.6 Inspection conditions

The LCD shall be inspected under 40W white fluorescent light.

$\theta \leq 45^\circ$  inspection under non-operating condition.

$\theta \leq 5^\circ$  inspection under operating condition



## **11. PRECAUTION RELATING PRODUCT HANDLING**

### **11.1 SAFETY**

- 11.1.1 If the LCD panel breaks , be careful not to get the liquid crystal to touch your skin.**
- 11.1.2 If the liquid crystal touches your skin or clothes , please wash it off immediately by using soap and water.**

### **11.2 HANDLING**

- 11.2.1 Avoid any strong mechanical shock which can break the glass.**
- 11.2.2 Avoid static electricity which can damage the CMOS LSI—When working with the module, be sure to ground your body and any electrical equipment you may be using.**
- 11.2.3 Do not remove the panel or frame from the module.**
- 11.2.4 The polarizing plate of the display is very fragile. So , please handle it very carefully, Do not touch, push or rub the exposed polarizing with anything harder than an HB pencil lead (glass , tweezers , etc.)**
- 11.2.5 Do not wipe the polarizing plate with a dry cloth, as it may easily scratch the surface of plate.**
- 11.2.6 Do not touch the display area with bare hands , this will stain the display area.**
- 11.2.7 Do not use ketonics solvent & aromatic solvent. Use with a soft cloth soaked with a cleaning naphtha solvent.**
- 11.2.8 To control temperature and time of soldering is  $280 \pm 10^{\circ}\text{C}$  and 3-5 sec.**
- 11.2.9 To avoid liquid (include organic solvent) stained on LCM.**
- 11.3 STORAGE**
- 11.3.1 Store the panel or module in a dark place where the temperature is  $25^{\circ}\text{C} \pm 5^{\circ}\text{C}$  and the humidity is below 65% RH.**
- 11.3.2 Do not place the module near organics solvents or corrosive gases.**
- 11.3.3 Do not crush, shake, or jolt the module.**